

No.235DOC-0131

Doc No. D2B091 D5B113

# **EU Declaration of Conformity**

Identification of the ProductKey Lock SwitchesName and address of ManufacturerName and address of the authorized representative :IDEC CORPORATIONAPEM SAS2-6-64 Nishimiyahara, Yodogawa-Ku,55, Avenue Edouard Herriot BP1, 82303Osaka 532-0004 JapanCaussade Cedex, France

This declaration of conformity is issued under the sole responsibility of the manufacturer.

**Object of the declaration :** Series Name – KN/KH Series

Model No. – Details are as per attached sheet

The object of the declaration described above is in conformity with the relevant EU harmonization

legislation:

2014/35/EU Low Voltage Directive

2011/65/EU and (EU)2015/863 Restriction of the use of certain hazardous substances

(RoHS) Directive

Applied Union harmonized legislation and references to the relevant harmonization standards used or references the other technical specifications in relation to which conformity is declared.

EN 60947-5-1/A1:2009 EN IEC 63000: 2018

Where applicable, the notified body

Additional Information:

Signed for and on behalf of the above named manufacturer:

Place and date of issue: Japan, 20 April, 2016

Japan, 18 November, 2021 (Revised)

Name, function : Masaki Tsuri, Executive Officer

**Quality Assurance Center** 

Signature :

masahi Tsww



#### No.235DOC-0131

Doc No. D2B091 D5B113

20 April, 2016 1 April, 2018 (Revised) Page 1 of 2

## **TYPE NOMENCLATURE:**

1. Series

KH

KN

2. Function

2 ---- Selector, 2-position, maintained

3 ---- Selector, 3-position, maintained

3. Operator function

C ---- Key selector

4. Contact Configuration

1 ---- 1C

2 ---- 2C

5. Contact material

0 ---- Silver

1 ---- Gold-clad

6. Key removable configuration for key selector

A ---- Key is removable in any maintained position

B ---- Key is not removable in right position

C ---- Key is not removable in left position

D ---- Key is removable in center position (3-position type)

E ---- Key is not removable in center position (3-position type)

G ---- Key is removable in left position (3-position type)

H ----- Key is removable in right position (3-position type)

7. Manufacturer Control No. (may be followed)

\*\*\*\*\*\* - Any Suffixes (Maximum Twelve Figures)



## No.235DOC-0131

Doc No. D2B091 D5B113

20 April, 2016 1 April, 2018 (Revised) Page 2 of 2

## **TYPE NOMENCLATURE:**

$$\frac{KH}{1} \quad \frac{2}{2} \quad \frac{1}{3} \quad \frac{0}{4} \quad \frac{**********}{5}$$

1. Series

KH

KN

2. Function

2 ---- Selector, 2-position, maintained

3 ---- Selector, 3-position, maintained

3. Contact Configuration

1 ---- 1C

2 ---- 2C

4. Contact material

0 ---- Silver

1 ---- Gold-clad

5. Manufacturer Control No. (may be followed)

\*\*\*\*\*\* - Any Suffixes (Maximum Twenty Figures)